



NAGADI CONSULTANTS PRIVATE LIMITED
Delhi - Bangalore - Chennai - Secunderabad
RECORD OF BORING IN SOIL
STRATA

Doc No : FD/G/09/01

Job No : 4556

Date :

Project Tahenahy B.H. No. 2
Place Khakhrada (H.R.) Location
B.H. Coordinates Termination Depth (m) 30.0M
Started on 12/6 Completed on 18/6 Water Table (m)

Soil Description	Depth	SPT / UDS	N - Value	Remarks
0-0 r/c Sandy clay silt with gr	1-0	SPT	(15)	2,2,3,4,3,3
1-50 r/c Sandy silt with gr	1-50	UDS		
	2-0	SPT	(8)	1,2,2,2,2,2
	3-0	SPT	(7)	4,1,1,2,2,2
do	4-0	SPT	(17)	1,3,3,4,5,5
4-5 r/c Sandy silt with gr	4-5	UDS		
	5-0	SPT	(15)	2,3,3,4,4,4
	6-0	SPT	(5)	1,1,1,2,1,1
	7-0	SPT	(7)	1,1,1,2,2,2
	7-5	UDS		
	8-0	SPT	(9)	1,2,2,2,2,3
	9-0	SPT	(8)	1,1,1,2,2,3
10-0 r/c Sandy clayey silt with gr	10-0	SPT	(10)	1,2,2,2,3,3
	10-5	UDS		
11-0 r/c Sandy silt with gr	11-4	SPT	(11)	2,2,2,2,3,4
	12-90	SPT	(27)	2,3,5,6,7,9

Client
Manager

Executive / Engineer

Site



NAGADI CONSULTANTS PRIVATE LIMITED
Delhi - Bangalore - Chennai - Secunderabad
RECORD OF BORING IN SOIL
STRATA

Doc No : FD/G/09/01

Job No : 4526

Date :

Project Takenaka

Place Khathroda (H.R.)

B.H. No. 2

B.H. Coordinates

Termination Depth (m) 20.0M

Started on 13/6 ... Completed on 15/6

Water Table (m)

Soil Description	Depth	SPT / UDS	N - Value	Remarks
0-0 1/2 clay sandy silt with gr	1-0	SPT	(21)	3,3,3,6,6,6
1-5 1/2 sandy silt with gr	2-0	SPT	(7)	2,2,1,2,2,2
	2-5	UDS		
3-0 1/2 sandy clay silt with gr	3-0	SPT	(8)	1,1,1,2,2,3
	4-0	SPT	(13)	2,2,2,3,4,4
5-0 G1 1/2 sandy silt with gr	5-0	SPT	(12)	2,2,3,3,3,3
	5-5	UDS		
6-0 1/2 sandy silt with gr	6-0	SPT	(4)	$\frac{3'11''}{1}, 1,1,1,1$
	7-0	SPT	(7)	1,1,1,2,1,3
do	8-0	SPT	(9)	1,1,2,2,2,3
	8-5	UDS		
	9-0	SPT	(11)	1,2,2,2,3,4
	10-0	SPT	(15)	2,2,3,3,4,5

Client
Manager

Executive / Engineer

Site

BHP-2

Soil Description	Depth	SPT / UDS	N - Value	Remarks
11-40 G/1/3 Sandy Silt with gr	11-4	UDS		
12-30 1/3 Sandy clayey Silt with gr	12-0	SPT	(31)	3 5 7 7 8 9
13-20 1/3 Sandy Silt with gr	13-50	SPT	(16)	2 2 3 4 4 5
14-40 1/3 Sandy Silt with gr	14-4	UDS		
	15-0	SPT	(24)	3, 4, 5, 6, 7
	16-5	SPT	(26)	3, 4, 5, 6, 7, 8
17-0 1/3 Sandy clayey Silt with gr	17-4	UDS		
	18-0	SPT	(23)	3, 4, 4, 6, 6, 7
19-0 1/3 Sandy Silt with gr	19-50	SPT	(29)	4, 5, 6, 7, 8, 8
	20-4	UDS		
22-0 1/3 Sandy clayey Silt with gr	21-0	SPT	(27)	4 4 5 6 8 8
23-0 1/3 Sandy Silt with gr	23-4	UDS		
25-50 1/3 Sandy clayey Silt with gr	24-0	SPT	(67)	5, 7, 9, 15, 19, 24
26-0 1/3 Sandy Silt with gr	26-4	UDS		
	27-0	SPT	up to 100	7 19 22 31 36
29-0 1/3 Sandy clayey Silt with gr	29-4	UDS		
29-80 1/3 Sandy Silt with gr	30-0	SPT	(67)	8, 10, 15, 15, 17, 20

Client
Manager

Executive / Engineer

Site



NAGADI CONSULTANTS PRIVATE LIMITED
Delhi - Bangalore - Chennai - Secunderabad
RECORD OF BORING IN SOIL

STRATA

Doc No : FD/G/09/01

Job No : 4556

Date :

Project Takenaga B.H. No. 3

Place Kakkada (H.R.) Location

B.H. Coordinates Termination Depth (m) 30.0M

Started on 10/6 Completed on 12/6 Water Table (m) 17.80M

Soil Description	Depth	SPT / UDS	N - Value	Remarks
0-50 1/3 clayey sandy silt with 90% 2/3 Sandy silt	1-0	SPT	(10)	3,4,2,3,2
	1-50	UDS		
	2-0	SPT	(8)	3,3,2,2,2
3-0 1/2 1/3 Sandy silt with 80%	3-0	SPT	(12)	2,2,2,2,3,5
	4-0	SPT	(14)	2,2,2,4,4,4
	4-50	UDS		
	5-0	SPT	(12)	2,2,2,3,3,4
	6-0	SPT	(8)	1,2,2,2,2,2
	7-0	SPT	(6)	1,1,1,1,2,2
	7-5	UDS		
8-0 1/3 Sandy silt with 80%	8-0	SPT	(9)	1,1,2,2,2,3
	9-0	SPT	(10)	1,1,2,2,3,3
	10-0	SPT	(12)	2,2,3,3,3,3
	10-5	UDS		
11-0 1/3 Sandy clayey silt with 80%	11-4	SPT	(29)	3,4,5,7,8,9

Client
Manager

Executive / Engineer

Site

BH-3

Soil Description		Depth	SPT / UDS	N - Value	Remarks
12-90	G/1/1 B Sandy silt with gr	12-90	SPT	(27)	235778
		13-50	UDS		
14-4	1/1 B clayey Sandy silt with gr	14-4	SPT	(14)	233434
15-90	1/1 B Sandy silt with gr	15-90	SPT	(33)	3,5,7,7,9,10
		16-5	UDS		
17-0	1/1 B clayey Sandy silt with gr	17-4	SPT	(27)	3,4,5,7,7,8 ~~3,5,7,8,9,10~~
18-90	1/1 B Sandy silt with gr	18-90	SPT	(23)	3,3,5,5,6,7
		19-50	UDS		
21-70	1/1 B Sandy clayey silt with gr	20-4	SPT	(32)	3,4,5,7,9,11
		22-50	UDS		
23-0	G/1/1 B Sandy silt with gr	23-4	SPT	(86)	5713192529
25-0	1/1 B Sandy clayey silt with gr	25-50	UDS		
25-50	1/1 B Sandy silt with gr				
26-0	1/1 B Sandy clayey silt with gr	26-4	SPT	(97)	4711222935
26-90	1/1 B Sandy silt with gr	28-5	UDS		
28-50	1/1 B clayey Sandy silt with gr	30-0	SPT	(31)	3,5,6,7,8,10



NAGADI CONSULTANTS PRIVATE LIMITED
Delhi - Bangalore - Chennai - Secunderabad
RECORD OF BORING IN SOIL

STRATA

Doc No: FD/G/09/01

Job No: 4556

Date:

Project: Talavada

B.H. No: 4

Place: Kakharu (H.R.)

Location:

B.H. Coordinates:

Termination Depth (m): 30-0M

Started on: 10/6

Completed on: 12/6

Water Table (m): 4.90

Soil Description	Depth	SPT / UDS	N - Value	Remarks
0-0 1/2 Sandy silt with gr	1-0	SPT	(28)	2 4 5 7 8 8
	2-0	SPT	(8)	1, 2, 2, 1, 2, 3
2-0 1/2 clay sandy silt with gr	2-50	UDS		
2-50 1/2 Sandy silt with gr	3-0	SPT	(12)	1 2 3 3 3 3
	4-0	SPT	(15)	1 2 3 3 4 5
	5-0	SPT	(22)	3 4 5 5 6 6
	5-5	UDS		
	6-0	SPT	(5)	1, 1, 1, 1, 1, 2
	7-0	SPT	(8)	1 1 2 2 2 2
	8-0	SPT	(12)	1 2 3 3 3 3
	8-5	UDS		
	9-0	SPT	(11)	1 1 2 3 3 3
10-0 1/2 Sandy clayey silt with gr	10-0	SPT	(9)	1 1 2 2 2 3
11-0 1/2 Sandy silt with gr	11-4	UDS		

Client

Executive / Engineer

Site

BH 4

Soil Description	Depth	SPT / UDS	N - Value	Remarks
12.50 1/2 Silty Sand with gr	12-0	SPT	(28)	1, 2, 4, 7, 8, 9
	13.50	SPT	(29)	2, 4, 5, 7, 8, 9
	14-4	UDS		
15-4 1/2 Clayey sandy silt with gr	15-0	SPT	(13)	1, 2, 2, 4, 3, 4
	16-5	SPT	(15)	2, 3, 4, 4, 3, 4
	17-4	UDS		
	18-0	SPT	(20)	2, 4, 4, 5, 5, 6
19-4 1/2 Sandy silt with gr	19-5	SPT	(26)	2, 3, 5, 6, 7, 8
	20-4	UDS		
	21-0	SPT	(33)	2, 4, 5, 9, 9, 10
23-4 1/2 Sandy clayey silt with gr	23-4	UDS		
	24-0	SPT	(52)	3, 5, 8, 12, 15, 17
24-0 1/2 Sandy silt with gr	26-4	UDS		
	27-0	SPT	(46)	5, 11, 12, 19, 11, 13
	29-4	UDS		
	30-0	SPT	(43)	4, 5, 7, 10, 12, 14

Client

Manager

Executive / Engineer

Site



NAGADI CONSULTANTS PRIVATE LIMITED
Delhi - Bangalore - Chennai - Secunderabad
RECORD OF BORING IN SOIL

STRATA

Doc No : FD/G/09/01

Job No : 4556

Date :

Project Takernah B.H. No. 5

Place Khatrodga Location

B.H. Coordinates Termination Depth (m) 30.0M

Started on 7/6 Completed on 9/6 Water Table (m) 5.10

	Soil Description	Depth	SPT / UDS	N - Value	Remarks
0-0	1/3 Sandy Silt	1.0	SPT	(20)	346554
0-5	1/3 Sandy clay silt with gs	1.5	UDS		
2-0	1/3/6 Sandy silt with gs	2.0	SPT	(4)	111111
3-40	1/3/6 Sandy clayey silt with gs	3.0	SPT	(7)	121222
3-50	1/3/6 Sandy silt with gs	4.0	SPT	(18)	133456
		4.5	UDS		
	do	5.0	SPT	(14)	124433
		6.0	SPT	(6)	111212
		7.0	SPT	(4)	111111
		7.5	UDS		
	do	8.0	SPT	(6)	1,1,2,2,11
		9.0	SPT	(9)	112223
		10.0	SPT	(16)	223445
		10.5	UDS		

Client
Manager

Executive / Engineer

Site

BH-S

Soil Description	Depth	SPT / UDS	N - Value	Remarks
11-4 4/13 clayey sandy silt with gd	11-4	SPT	(28)	235689
12-5 4/13 sandy silt with gd	12-90	SPT	(29)	255789
	13-5	UDS		
	14-4	SPT	(18)	334455
do	15-90	SPT	(20)	334556
	16-5	UDS		
	17-4	SPT	(37)	46871012
	18-90	SPT	(40)	46891013
	19-5	UDS		
	20-4	SPT	(25)	345678
22-5 4/13 clayey silt with gd	22-5	UDS		
23- 4/13 sandy silt with gd	23-4	SPT	(76)	3,9,10,19,22,25
	25-5	UDS		
25-4 4/13 sandy silt with gd	26-4	SPT	(68)	9,17,19,21,23,25
	28-5	UDS		
	30-0	SPT	(96)	6,13,20,23,26,27

BH-6

Soil Description		Depth	SPT / UDS	N - Value	Remarks
13-0	G/1/1B Sandy silt with gr.	13-8	SPT	(26)	3,4,6,9,10,11
		14-4	UDS		
		15-0	SPT	(28)	6,7,7,7,7,7
		16-5	SPT	(29)	2,4,5,7,8,9
17-0	7/1B sandy clayey silt with gr.	17-0	UDS		
		18-0	SPT	(30)	235889
		19-5	SPT	(24)	3,4,4,7,7,6
20-0	4/1B Sandy silt with gr.	20-4	UDS		
20-4	4/1B Silty sand with gr.	21-0	SPT	(81)	5,7,14,19,23,25-
23-30	4/1B clayey sandy silt with gr.	23-4	UDS		
23-90	G/1/1B Sandy silt with gr.	24-0	SPT	(56)	3,4,5,9,19,23
		26-4	UDS		
		27-0	SPT	(90)	5,8,19,15,30,35
29-0	4/1B Sandy silt with gr.	29-4	UDS		
		30-0	SPT	(34)	3,5,8,8,9,9

**NAGADI****NAGADI CONSULTANTS PRIVATE LIMITED**

Delhi - Bangalore - Chennai - Secunderabad

RECORD OF BORING IN SOIL**STRATA**

Doc No :FD/G/09/01

Job No : 4456

Date :

Project Tabenaka B.H. No. 6
 Place Klaktoda (H.R.) Location
 B.H. Coordinates Termination Depth (m) 30.0M
 Started on 7/6 Completed on 9/6 Water Table (m) 5.20 M

	Soil Description	Depth	SPT / UDS	N - Value	Remarks
0-0	Filled up Soil Sandy clayey silt	1.0	SPT	(12)	1 2 3 3 3 3
1.5	1/3 Clayey Sandy silt with go.	2.0	SPT	(12)	2 2 3 3 3 3
2.5	2/3 Sandy silt	2.5	UDS		
		3.0	SPT	(5)	1, 1, 1, 1, 2
		4.0	SPT	(15)	2, 3, 3, 4, 4, 4
5.0	6/13 Sandy silt	5.0	SPT	(12)	1 2 3 3 3 3
		5.5	UDS		
		6.0	SPT	(3)	$\frac{3'' 3'' 3''}{1}, 1, 1, 1$
7.0	1/3 Sandy silt with go.	7.0	SPT	(7)	1, 1, 1, 1, 2, 3
		8.0	SPT	(8)	1, 1, 2, 2, 2, 2
		8.5	UDS		
		9.0	SPT	(10)	1, 1, 2, 2, 3, 3
		10.0	SPT	(12)	2, 2, 2, 2, 3, 5
		11.4	UDS		
12.0	clayey 1/3 Sandy silt with go.	12.0	SPT	(26)	2 4 4 5 7 10

Client
Manager

Executive / Engineer

Site



NAGADI CONSULTANTS PRIVATE LIMITED
Delhi - Bangalore - Chennai - Secunderabad
RECORD OF BORING IN SOIL

STRATA

Doc No : FD/G/09/01

Job No : 4556

Date :

Project Takenah B.H. No. 14

Place Kharakhoda (H.R.) Location

B.H. Coordinates Termination Depth (m) 20.0M.

Started on 1/6 Completed on 3/6 Water Table (m) 5.0M.

Soil Description	Depth	SPT / UDS	N - Value	Remarks
0-0 1/2 Sandy Silt	1.0	SPT	(15)	1,2,3,4,4,4
70CM 1/2 Sandy. clay silt with gr	2.0	SPT	(10)	1,1,2,2,3,3
2-0M. 1/2 Sandy. silt with gr	2.50	UDS		
	3.0	SPT	(9)	1,1,2,2,3,2
do	4.0	SPT	(14)	2,2,2,3,4,5
	5.0	SPT	(18)	2,3,4,5,5,4
	5.50	UDS		
	6.0	SPT	(7)	1,1,1,2,2,2
do	7.0	SPT	(8)	1,1,1,2,2,3
	8.0	SPT	(11)	1,2,2,3,3,3
	8.50	UDS		
	9.0	SPT	(14)	2,3,3,4,4,4
11-0 1/2 clayey sandy silt with gr	10-0	SPT	(19)	2,3,4,5,5,5
	11.40	UDS		

Client
Manager

Executive / Engineer

Site

BH-14.

Soil Description	Depth	SPT / UDS	N - Value	Remarks
1/3 ~~clayey~~ Sandy silt with gr.	12-0	SPT	(23)	2, 3, 4, 5, 7, 7
1/3 clayey sandy silt with gr.	13-50	SPT	(36)	3, 4, 5, 9, 10, 12
	14-4	UDS		
	15-0	SPT	(22)	2, 3, 5, 5, 6, 6
	16-50	SPT	(21)	2, 3, 4, 5, 6, 6
<u>do</u>	17-4	UDS		
	18-0	SPT	(30)	2, 3, 6, 7, 8, 9
	19-50	SPT	(33)	3, 5, 6, 7, 10, 10
	20-4	UDS		
20-6 1/3 Sandy silt with gr.	21-0	SPT	(71)	3, 7, 11, 15, 21, 24
21-0 1/3 Sandy silt with gr.	23-4	UDS		
	24-0	SPT	(77)	3, 5, 10, 16, 24, 27
	26-4	UDS		
	27-0	SPT	(106)	5, 11, 20, 26, 29, 31
<u>do</u>	29-4	UDS		
	30-0	SPT	(78)	4, 6, 10, 20, 23, 25

Client
Manager

Executive / Engineer

Site



NAGADI CONSULTANTS PRIVATE LIMITED

Delhi - Bangalore - Chennai - Secunderabad

RECORD OF BORING IN SOIL

STRATA

Doc No : FD/G/09/01

Job No : 4556

Date :

Project Tahoraka B.H. No. 15Place Karkhoda LocationB.H. Coordinates Termination Depth (m) 30.0MStarted on 4/6 Completed on 6/6 Water Table (m) 5.20

	Soil Description	Depth	SPT / UDS	N - Value	Remarks
0-0	7/8 Sandy Silt with gr.	1-0	SPT	(8)	3,3,2,2,2
1-5	7/8 Sandy silt with gr.	1-5	UDS		
		2-0	SPT	(9)	1,2,2,2,2,3
		3-0	SPT	(17)	2,2,3,4,5,5
		4-0	SPT	(22)	2,3,4,5,6,7
	do	4-5	UDS		
		5-0	SPT	(23)	2,3,4,5,7,7
		6-0	SPT	(6)	1,1,1,1,2,2
	do	7-0	SPT	(9)	1,2,2,2,2,3
		7-5	UDS		
		8-0	SPT	(10)	1,2,2,3,2,3
		9-0	SPT	(13)	1,2,2,3,3,5
		10-0	SPT	(15)	2,2,3,3,4,5
		10-5	UDS		

Client
Manager

Executive / Engineer

Site

BH 15

Soil Description	Depth	SPT / UDS	N - Value	Remarks
11-0 1/2 Clayey Sandy Silt with gr	11-40	SPT	(30)	2 3 5 7 9 9
12-90 G/1/2 Sandy Silt with gr	12-90	SPT	(32)	3 4 5 7 9 11
	13-50	UDS		
	14-4	SPT	(18)	2 2 3 4 5 6
17-0 1/2 Sandy clayey silt with gr	15-90	SPT	(23)	2 3 4 5 7 7
	16-50	UDS		
	17-4	SPT	(32)	4 5 6 7 9 10
19-0 1/2 Clayey Sandy Silt with gr	18-90	SPT	(30)	2 4 6 7 8 9
	19-50	UDS		
20-0 G/1/2 Sandy Silt with gr	20-40	SPT	(39)	7 10 7 9 11 12
	22-5	UDS		
25-80 1/2 Sandy clayey Silt with gr	23-4	SPT	(8.6)	4 6 11 23 25 27
	25-5	UDS		
26-90 1/2 Sandy Silt with gr	26-4	SPT	up to 100	3 8 15 26 37
	28-50	UDS		
29-50 G/1/2 Sandy Silt with gr	30-0	SPT	up to 100	5 14 19 30 35

Client
Manager

Executive / Engineer

Site



NAGADI CONSULTANTS PRIVATE LIMITED
Delhi - Bangalore - Chennai - Secunderabad
RECORD OF BORING IN SOIL
STRATA

Doc No : FD/G/09/01

Job No : 4556

Date :

Project : Talera

B.H. No. 16

Place : Khalzoda (HR)

Location :

B.H. Coordinates :

Termination Depth (m) 30.01

Started on 4/6 Completed on 6/6 Water Table (m) 5.30

	Soil Description	Depth	SPT / UDS	N - Value	Remarks
0-0	1/3 Sandy silt				
		1-0	SPT	(6)	1,1,2,1,2
2-0	1/3 Sandy clay silt with gr.				
		2-0	SPT	(9)	2,2,2,2,3
2-20	1/3 Sandy silt with gr.				
		2-5	UDS		
		3-0	SPT	(10)	1,3,2,2,3,3
		4-0	SPT	(19)	2,3,4,5,5,5-
	do	5-0	SPT	(20)	2,3,5,5,5,5-
		5-5	UDS		
		6-0	SPT	(7)	2,2,2,1,2,2
		7-0	SPT	(10)	1,1,2,2,3,3
	do	8-0	SPT	(12)	1,1,2,3,3,4
		8-5	UDS		
		9-0	SPT	(13)	2,2,3,3,3,4
		10-0	SPT	(11)	2,2,2,3,3,3
11-0	1/3 Sandy clayey silt with gr.	11-4	UDS		

Client
Manager

Executive / Engineer

SM
Site

DB-16

Soil Description	Depth	SPT / UDS	N - Value	Remarks
1/3 Sandy clayey silt with gr	12-0	SPT	(27)	2, 4, 5, 6, 7, 9
13-0 6/13 Sandy silt with gr	13-5	SPT	(24)	2, 3, 4, 5, 7, 8
	14-4	UDS		
	15-0	SPT	(26)	2, 3, 4, 5, 5, 6
	16-5	SPT	(21)	2, 3, 4, 5, 6, 6
do	17-4	UDS		
	18-0	SPT	(25)	3, 4, 6, 6, 6, 7
	19-5	SPT	(27)	3, 3, 4, 6, 8, 9
	20-4	UDS		
	21-0	SPT	(42)	3, 7, 9, 10, 11, 12
	22-4	UDS		
25-5 1/3 clayey sandy silt with gr	24-0	SPT	(58)	5, 7, 10, 14, 16, 18
26-4 1/3 Sandy silt with gr	26-4	UDS		
	27-0	SPT	(78)	11, 18, 18, 19, 20, 21
do	29-4	UDS		
	30-0	SPT	(60)	5, 7, 9, 12, 17, 21

Client
Manager

Executive / Engineer

Site



NAGADI CONSULTANTS PRIVATE LIMITED
Delhi - Bangalore - Chennai - Secunderabad
RECORD OF BORING IN SOIL

STRATA

Doc No : FD/G/09/01

Job No : 4556

Date :

Project : Takenah

B.H. No. : 17

Place : Kharkhoda (H.R.) Location :

B.H. Coordinates : Termination Depth (m) : 30.01

Started on : 1/6 Completed on : 3/6 Water Table (m) : 5.20 M

	Soil Description	Depth	SPT / UDS	N - Value	Remarks
0-0	1/3 Sandy silt	1-0	SPT	(7)	1 1 1 2 2 2
1-40	1/3 Sandy clay silt with g.s.	1-5	UDS		
1-50	1/3 Sandy silt with g.s.	2-0	SPT	(17)	2 3 5 4 4 4
3-0	1/3 sandy clay silt with g.s.	3-0	SPT		
3-20	1/3 Sandy silt with g.s.	4-0	SPT	(16)	2 2 3 3 4 6
		4-5	UDS		
		5-0	SPT	(16)	2 2 3 3 4 6
6-50	1/3 Sandy silt.	6-0	SPT	(10)	1 1 2 2 3 3
		7-0	SPT	(4)	3" 3" 1, 1, 1, 1
		7-5	UDS		
		8-0	SPT	(4)	3" 3" 1, 1, 1, 1
10-0	1/3 Sandy silt with g.s.	9-0	SPT	(6)	1 1 1 1 2 2
		10-0	SPT	(10)	1, 1, 1, 2, 3, 4
10-50	1/3 clayey sandy silt with g.s.	10-5	UDS		

Client
Manager

Executive / Engineer

Site

BH-17

Soil Description	Depth	SPT / UDS	N - Value	Remarks
1/3 clayey sandy silt with gd	11-40	SPT	(8)	2 1 2 2 2 2
12-50 1/3 sandy silt with gd	12-90	SPT	(22)	2 4 5 3 2 6
	13-50	UDS		
	14-4	SPT	(20)	2 2 4 4 6 6
	15-90	SPT	(20)	2, 3, 3, 4, 6, 7
	16-50	UDS		
17-4 1/3 clayey sandy silt with gd	17-4	SPT	(31)	4, 5, 6, 7, 9, 9
	18-90	SPT	(32)	3 5 6 7 9 10
19-90 1/3 sandy silt with gd	19-50	UDS		
	20-40	SPT	(39)	4 6 6 8 12 13
	22-5	UDS		
	23-4	SPT	(33)	3 4 6 8 9 10
	25-50	UDS		
26-0 1/3 clayey silt with gd	26-4	SPT	(58)	3, 5, 7, 11, 18, 22
26-4 1/3 sandy silt with gd	28-5	UDS		
28-0 1/3 clayey sandy silt with gd	30-0	SPT	(98)	6 11 20 23 25 30
28-50 1/3 sandy silt with gd				

Client
Manager

Executive / Engineer

Site